

1818 West Price Street Tucson AZ 85705

# MATERIAL SAFETY DATA SHEET

### PRODUCT IDENTIFICATION

KEYSTONE KOOL DECK

Product code : All Colors

MSDS DATE : 4/20/2000

Supersedos : 8/9/1991

Hazard Rating		Scale
Toxicity Fire Reactivity Special	0 1 0	4=EXTREME 3=HIGH 2=MODERATE 1=SLIGHT 0=INSIGNIFICANT

### **COMPONENT INFORMATION**

**No.**1 Proprietary mixture of natural occurring organic substances.

2 Mixture synthetic iron oxide pigments.

3 Water

CAS REG NO. AMT.(%)

None required 1309-37-1

# **EMERGENCY RESPONSE INFORMATION**

### **FIRST AID PROCEDURES**

### <u>INHALATION</u>

Move subject to fresh air.

### EYE CONTACT

Flush with large amounts of water-consult an eye physician if necessary.

### SKIN CONTACT

Wash with detergent and water.

### **INGESTION**

Dilute by drinking large amounts of milk or water. Consult a physician.

### FIRE FIGHTING INFORMATION

### **UNUSUAL HAZARDS**

Hazardous only when present as a dust in high concentrations.

### **EXTINGUISHING AGENTS**

Use the following extinguishing media when fighting fire involving this material: Carbon Dioxide-dry chemical-water spray.

### PERSONAL PROTECTIVE EQUIPMENT

As in any fire, wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved of equivalent) and full protective gear.

### SPECIAL PROCEDURES

Use water spray to control heat. Do not use a solid stream of water. A solid stream of water can cause dust. Material will float on water. Material usually burns slowly (smolders) emitting small amount of smoke.

### SPILL OR LEAK HANDLING INFORMATION

### PERSONAL PROTECTION

Wear a MSHA/NIOSH approved respirator for nuisance dust.

### **PROCEDURES**

Material can be handled as normal solid waste. Scoop or sweep and transfer spilled material to suitable containers for disposal. Floor may be slippery; use care to avoid falling. Avoid breathing dust.

CONTINUED

### Mortex Manufacturing Co., Inc.

1818 West Price Street Tucson AZ 85705 PRODUCT: KEYSTONE KOOL DECK

DATE: 4/20/2000

# HAZARD INFORMATION

### **HEALTH EFFECTS FROM OVEREXPOSURE**

### PRIMARY ROUTES OF EXPOSURE

Inhalation. Skin Contact. Eye Contact.

### **INHALATION**

Respiratory congestion due to dust.

### **EYE CONTACT**

Like any foreign body, particles can cause mechanical irritation.

### **SKIN CONTACT**

No irritation even with prolonged skin contact.

### **DELAYED EFFECTS**

None

### FIRE AND EXPLOSIVE PROPERTIES

### REACTIVITY INFORMATION

### INSTABILITY

This material is considered stable.

### **HAZARDOUS DECOMPOSITION PRODUCTS**

As with any organic material, combustion will produce carbon dioxide (CO<sub>2</sub>) and carbon monoxide (CO)

### **HAZARDOUS POLYMERIZATION**

None.

# **ACCIDENT PREVENTION INFORMATION**

### EXPOSURE LIMIT INFORMATION

PEL-15.0mg/M3, 8 hr. TWA (total nuisance dust) (OSHA/ACGIH) PEL-5.0mg/M3, 8 hr. TWA (respirable nuisance dust) (OSHA-MCGIH)

### PERSONAL PROTECION MEASURES

### RESPIRATORY PROTECTION

When dusty conditions are encountered, wear a MSHA/NIOSH approved (or equivalent) half-mask air purifying respirator.

### **EYE PROTECION**

Use chemical splash goggles (ANSIZ87.1) or approved equivalent.

### HAND PROTECTION

None.

### **FACILITY CONTROL MEASURES**

### **VENTILATION**

Use local exhaust ventilation. Refer to the current edition of *Industrial Ventilation: A Manual of Recommended Practice* published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

CONTINUED

## Mortex Manufacturing Co., Inc.

1818 West Price Street Tucson AZ 85705

PRODUCT: KEYSTONE KOOL DECK

DATE: 4/20/2000

### STORAGE AND HANDLING INFORMATION

<u>STORAGE CONDITIONS</u>
Store dry at ambient temperature using good warehouse and production handling procedures.

### HANDLING PROCEDURES

When handling and processing this material local exhaust ventilation may be required to control dust.

## SUPPLEMENTAL INFORMATION

### TYPICAL PHYSICAL PROPERTIES

Appearance	. White powder (colored by pigments)
Color	
State	. Powdered
Odor Characteristic	. Slight
pH	. N/Ă
Viscosity	. N/A
Vapor Density (Air = 1)	. N/A
Vapor Pressure	. N/A
Melting point	. No Data
Boiling point	. N/A
Solubility in water	. Negligible
Percent Volatillity	. 25%
Evaporation rate (BAc = 1)	. N/A

### TOXICITY

All ingredients are non-toxic

### WASTE DISPOSAL

### **PROCEDURE**

Place in proper container for disposal at a landfill that complies with local, State and Federal regulations.

# REGULATORY INFORMATION

### WORKPLACE CLASSSIFICATIONS

This product does not contain any ingredients listed as hazardous substances.

### TRANSPORTATION CLASSSIFICATIONS

D.O.T. Not regulated.

### EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE3)

### SECTION 311/312 CATEGORIZATIONS 40CFR370

This product does not contain any chemical subject to reporting regirements.

### SECTION 313 INFORMATION (40CFR 302.4)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

### **CERCLA INFORMATION (40CRF 302.4)**

Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

CONTINUED



# Mortex Manufacturing Co., Inc.

1818 West Price Street Tucson AZ 85705

PRODUCT: KEYSTONE KOOL DECK

DATE: 4/20/2000

RCRA INFORMATION
When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40 CFR 261).

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Mortex Mfg. Co., Inc. assumes no responsibility for personal injury or properly damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.